

Louisiana State University
LSU Digital Commons

Faculty Publications

Department of Biological Sciences

5-28-2015

Correction: Functional characterization of the *Chlamydomonas reinhardtii* ERG3 ortholog, a gene involved in the biosynthesis of ergosterol

Kristy M. Brumfield

James V. Moroney

Thomas S. Moore

Tiffany A. Simms

David Donze

Follow this and additional works at: https://digitalcommons.lsu.edu/biosci_pubs

Recommended Citation

Brumfield, K., Moroney, J., Moore, T., Simms, T., & Donze, D. (2015). Correction: Functional characterization of the *Chlamydomonas reinhardtii* ERG3 ortholog, a gene involved in the biosynthesis of ergosterol. *PLoS ONE*, 10 (5) <https://doi.org/10.1371/journal.pone.0129189>

This Article is brought to you for free and open access by the Department of Biological Sciences at LSU Digital Commons. It has been accepted for inclusion in Faculty Publications by an authorized administrator of LSU Digital Commons. For more information, please contact ir@lsu.edu.

CORRECTION

Correction: Functional Characterization of the *Chlamydomonas reinhardtii* *ERG3* Ortholog, a Gene Involved in the Biosynthesis of Ergosterol

Kristy M. Brumfield, James V. Moroney, Thomas S. Moore, Tiffany A. Simms, David Donze

There is an error in [Fig 2](#) of the published article. Please see the correct [Fig 2](#) here.



OPEN ACCESS

Citation: Brumfield KM, Moroney JV, Moore TS, Simms TA, Donze D (2015) Correction: Functional Characterization of the *Chlamydomonas reinhardtii* *ERG3* Ortholog, a Gene Involved in the Biosynthesis of Ergosterol. PLoS ONE 10(5): e0129189. doi:10.1371/journal.pone.0129189

Published: May 28, 2015

Copyright: © 2015 Brumfield et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 2. Schematic diagram of the reaction catalyzed by Erg3p in yeast. Erg3p is responsible for introducing a double bond at the C-5 carbon (denoted by the star) of the B-ring of episterol to produce ergosta- 5,7,24(28)- trienol. This step is the second to last step in the biosynthetic pathway to ergosterol.

doi:10.1371/journal.pone.0129189.g001

Reference

1. Brumfield KM, Moroney JV, Moore TS, Simms TA, Donze D (2010) Functional Characterization of the *Chlamydomonas reinhardtii* *ERG3* Ortholog, a Gene Involved in the Biosynthesis of Ergosterol. PLoS ONE 5(1): e8659. doi: [10.1371/journal.pone.0008659](https://doi.org/10.1371/journal.pone.0008659) PMID: [20084111](https://pubmed.ncbi.nlm.nih.gov/20084111/)